



# Howard Johnson's Enterprises

#### **Section 1: Identification**

Product identifier

Product Name • Howard Johnson's Lockup 0.03% Herbicide Plus Fertilizer

**Synonyms** • EPA Reg. No.: 62719-585-32802; FertRspCa

Product Code • FertRspCa

Product Description
 Variable colored granules.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use 
• Herbicide with fertilizer.

Restrictions on use •

Keep out of reach of children and domestic animals. Avoid breathing dust. Avoid

contact with eyes, skin and clothing.

Details of the supplier of the safety data sheet

Manufacturer
 Howard Johnson's Enterprises, Inc.

9675 S. 60th Street Franklin, WI 53132 United States www.hjefertilizer.com

Telephone (General) • (414) 394-3590 - 8:30am - 5:00pm CST

**Emergency telephone number** 

Manufacturer •

1-800-424-9300 - CHEMTREC - Transportation and Non-Transportation related

emergencies

Manufacturer • 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

#### Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

#### Respiratory Sensitization 1A

# Label elements OSHA HCS 2012

#### **DANGER**



#### Hazard statements ·

May cause cancer.

May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### **Precautionary statements**

#### Prevention •

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing vapors, dust, mist or spray.

In case of inadequate ventilation wear respiratory protection.

#### Response •

IF exposed or concerned: Get medical advice/attention.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison control center or doctor.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

#### Storage/Disposal •

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Store locked up.

# Other hazards OSHA HCS 2012

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

# Section 3 - Composition/Information on Ingredients

#### **Substances**

Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

#### **Mixtures**

Composition			
Chemical Name	Identifiers	%	
Penoxsulam	CAS:219714-96-2	0.03%	
Silica, crystalline - quartz	CAS:14808-60-7	> 0.1%	
Peanut hulls	NDA	2.5%	
Limestone	CAS:1317-65-3	50% TO 85%	
Other ingredients	NDA	Balance	

#### Section 4: First-Aid Measures

#### **Description of first aid measures**

Inhalation

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.

Skin

IF ON SKIN: Wash skin with soap and water. If irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

First aid is not expected to be necessary if material is used under ordinary conditions and as recommended.

# Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer. Refer to Section 11 - Toxicological Information.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically and supportively.

# Section 5: Fire-Fighting Measures

# Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media

Avoid heavy hose streams.

# Special hazards arising from the substance or mixture

**Unusual Fire and Explosion** 

**Hazards** 

None known.

**Hazardous Combustion** 

**Products** 

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

#### Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

#### Section 6 - Accidental Release Measures

# Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with skin, eyes, and clothing. Wear appropriate personal protective equipment, avoid direct contact. Ventilate enclosed areas. Avoid dust formation and

Preparation Date: 05/May/2016 Format: GHS Language: English (US) Revision Date: 05/May/2016 Page 3 of 9

breathing dust.

#### **Emergency Procedures**

No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

#### **Environmental precautions**

No data available

### Methods and material for containment and cleaning up

Containment/Clean-up Measures

Sweep or scoop up spills, dispose of any unusable material in approved landfill. Use appropriate Personal Protective Equipment (PPE)

### Section 7 - Handling and Storage

#### Precautions for safe handling

Handling

Avoid contact with skin, eyes, and clothing. Avoid breathing dust. To minimize dust generation and accumulation, spills should be cleaned up and dust accumulations should be removed promptly. Wash thoroughly with soap and water after handling.

# Conditions for safe storage, including any incompatibilities

Storage

Store in a cool/low-temperature, well-ventilated, dry place. Keep out of reach of children. Keep container tightly closed. Avoid humid, wet or moist conditions. Keep away from incompatible materials such as strong acids. Ventilate enclosed areas. Store locked up.

#### **Incompatible Materials or Ignition Sources**

May be corrosive to mild steel. Slightly corrosive to aluminum, zinc, or copper. Noncorrosive to glass, 304 or 316 stainless steel. May be reactive with halogens and slightly reactive with oxidizing agents, reducing agents, acids, alkalis, moisture.

# Section 8 - Exposure Controls/Personal Protection

# Control parameters

Exposure Limits/Guidelines				
	Result ACGIH NIOSH OSHA			
Silica, crystalline - quartz (14808-60-7)	IIIVVAS	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	0.05 mg/m3 TWA (respirable dust)
Limestone (1317-65-3)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

#### **Exposure Limits Supplemental** OSHA

- •Silica, crystalline quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA,
- Silica, crystalline quartz (14808-60-7): TLV Basis Critical Effects: (lung cancer; pulmonary fibrosis)

# **Exposure controls**

Engineering Measures/Controls

Adequate ventilation systems as needed to control concentrations of airborne

Preparation Date: 05/May/2016 Revision Date: 05/May/2016 OSHA HCS 2012 Page 4 of 9

contaminants below applicable threshold limit values.

#### **Personal Protective Equipment**

**Pictograms** 







Respiratory

If airborne dust is present or in case of inadequate ventilation, use appropriate respiratory protection. Use of half/full face air purifying or N95 dust mask is recommended.

Eye/Face Hands Skin/Body · Wear safety glasses.

Wear appropriate gloves.

If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact. Use full body suit such as Tyvek or Tychem suit is recommended.

**General Industrial Hygiene** Considerations

· Handle in accordance with good industrial hygiene and safety practice.

**Environmental Exposure** 

No data available

Controls

# **Section 9 - Physical and Chemical Properties**

# **Information on Physical and Chemical Properties**

Material Description			
Physical Form	Solid	Appearance/Description	Variable colored granules.
Color	Varies	Odor	Varies
Odor Threshold	No data available		
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	Not relevant
Specific Gravity/Relative Density	No data available	Bulk Density	45 to 80 lb(s)/ft <sup>3</sup>
Water Solubility No data available		Viscosity	Not relevant
Volatility		-	-
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability	•	-	-
Flash Point	Not relevant	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental	-	-	
Octanol/Water Partition coefficient	No data available		

# **Section 10: Stability and Reactivity**

# Reactivity

· Non-reactive under normal handling and storage conditions.

# Chemical stability

#### Stable

# Possibility of hazardous reactions

· Hazardous polymerization will not occur.

#### Conditions to avoid

Extreme heat, high humidity or moisture. Avoid contact with moisture. If Urea is present, slow hydrolysis may produce acids corrosive to metals.

#### Incompatible materials

Material may be incompatible with halogens, oxidizing agents, reducing agents, acids, alkalis, moisture, potassium chlorate, potassium nitrate, sodium nitrate, sodium hypochlorite, metal chlorates, strong bases. If Urea is present may be corrosive to mild steel and slightly corrosive to aluminum, zinc, or copper.

# **Hazardous decomposition products**

May release ammonia, oxides of sulfur, oxides of nitrogen, and oxides of carbon. Flammable/toxic vapors will form at elevated temperatures by thermal decomposition.

# **Section 11 - Toxicological Information**

### Information on toxicological effects

Components		
Penoxsulam (0.03%)	219714-96-	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5000 mg/kg; Inhalation-Rat LC50 • >3.5 mg/L 4 Hour(s); Skin-Rabbit LD50 • >5000 mg/kg; Irritation: Eye-Species unspecified • Mild irritation; Skin-Species unspecified • Mild irritation

GHS Properties	Classification	
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met	
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met	
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met	
Skin sensitization	OSHA HCS 2012 • Classification criteria not met	
Respiratory sensitization	OSHA HCS 2012 • Respiratory Sensitizer 1A	
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met	
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A	
Germ Cell Mutagenicity	OSHA HCS 2012 • Not classified - data lacking	
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met	
STOT-SE	OSHA HCS 2012 • Classification criteria not met	
STOT-RE	OSHA HCS 2012 • Classification criteria not met	

# Potential Health Effects Inhalation

Acute (Immediate)

Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss. May cause sensitization of the respiratory system with shortness of breath.

Chronic (Delayed)

Repeated or prolonged inhalation of dust may cause respiratory irritation. Repeated and prolonged exposure to crystalline silica containing materials may cause irritation and/or lung damage silicosis, fibrosis, inflammation, cancer.

Skin

Acute (Immediate)

Exposure to dust may cause mechanical irritation.

**Chronic (Delayed)** 

No data available.

Eye

Acute (Immediate)

• Exposure to dust may cause mechanical irritation.

**Chronic (Delayed)** 

No data available

Ingestion

Acute (Immediate)

• Under normal conditions of use, no health effects are expected.

**Chronic (Delayed)** 

No data available

Other

**Chronic (Delayed)** 

· No data available.

Carcinogenic Effects

Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

Carcinogenic Effects			
CAS IARC NTP			
Silica, crystalline - quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

# **Section 12 - Ecological Information**

# **Toxicity**

· No data available

# Persistence and degradability

No data available

# Bioaccumulative potential

No data available

Mobility in Soil

· No data available

Other adverse effects

Potential Environmental

· No data available.

**Effects** 

# **Section 13 - Disposal Considerations**

#### Waste treatment methods

Product waste

Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### **Section 14 - Transport Information**

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 No data available

and the IBC Code Other information

> **IMO/IMDG** • No data available IATA/ICAO · No data available

# Section 15 - Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Acute, Chronic

#### FIFRA - Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of nonpesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### CAUTION

**Precautionary Statements** • KEEP OUT OF THE REACH OF CHILDREN.

#### Hazards to Humans and . **Domestic Animals**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### First Aid •

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

#### Environmental Hazards •

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment or washwaters.

	Inventory		
Component	CAS	TSCA	
Limestone	1317-65-3	Yes	
Penoxsulam	219714-96- 2	No	
Silica, crystalline - quartz	14808-60-7	Yes	

#### **Section 16 - Other Information**

**Revision Date** 

**Last Revision Date** 

**Preparation Date** 

Disclaimer/Statement of Liability

05/May/2016

05/May/2016

05/May/2016

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NÓ WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.