



Compact Efficiency That Lasts

The most popular pool heater among pros, the Hi-E2® sets the standard with a proven in-use record of over 20 years of reliable performance. Ultra-efficient with a low-maintenance design the Hi-E2 is small, lightweight and easy to install indoors.

Compact and Lightweight

33% smaller footprint, 42% smaller in volume and 34% lighter than the leading competitor

Best Indoor Installation

Direct connection of PVC venting and intake air provides flexible indoor installation with no additional parts

Ultra-Efficient Heating

Features an impressive 95% heating efficiency rating and reduces operating costs by 15% or more*

Long-Lasting

Over 20 years of proven in-use performance

*Versus 399K BTU heater with minimum DOE efficiency of 82%



Above and Beyond

Exceeds the requirements of energy conservation regulations such as those in California, Hawaii, New York, Oregon and other states which require that a pool heater have intermittent ignition.

TRADE SERIES **EXCLUSIVE**

The Hi-E2 is part of our Trade Series Exclusive line of products — over 30 of our most innovative products reserved for you to protect your profit margins.

Features



Big or Small, Fits Them All

Indoor or out, new construction or retrofit, the compact and lightweight Hi-E2® is ideal for both residential and commercial applications.



Safe and Easy to Maintain

With no expensive cartridges to replace and built-in condensation management, maintenance is simple.



Practical and Powerful Pool Heating

The Hi-E2 combustion system includes a heat exchanger which extracts 95% of the energy from gas fuel.




Anytime, Anywhere

Unique induced draft system and included vent connections makes this the ideal heater for use in extreme weather and in difficult or unusual locations.


Get More For Less.

Turn up the heat — not your expenses. The Hi-E2 is an extremely efficient gasfired pool and spa heater that cuts your cost of operation by 15% or more!*

*Versus 399K BTU heater with minimum DOE efficiency of 82% $\,$



Technical Specifications



Available in the Following Models

Model #	Firing Rate	Gas Type	Heat Exchanger*	Width	Depth	Height	Weight	Minimum GPM	Maximum GPM
EHE350NC	350K BTU	Natural	Copper / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350PC	350K BTU	Propane	Copper / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350NS	350K BTU	Natural	CuNi / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350PS	350K BTU	Propane	CuNi / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350NB	350K BTU	Natural	Copper / CuNi	32"	23 ½"	34"	252 lbs.	30	100
EHE350PB	350K BTU	Propane	Copper / CuNi	32"	23 ½"	34"	252 lbs.	30	100

^{*}The Hi-E2® utilizes a two heat exchanger design. The first material listed is for the primary heat exchanger, the second material listed is for the secondary heat exchanger.

Trade Series Exclusive product; not available for Internet sale. The Hi-E2 heater is an ultra high efficiency heater which produces condensation, see the heater manual for detailed venting instructions.

1 unit per pallet

Zodiac Pool Systems LLC 2620 Commerce Way, Vista, CA 92081

2620 Commerce Way, Vista, CA 9208^o 1.800.822.7933 | jandy.com Zodiac Pool Systems Canada, Inc. 2-3365 Mainway, Burlington, ON, L7M 1A6 1.888.647.4004 | zodiac.com



