SAFETY DATA SHEET

1. Identification

Product identifier	Monterery Seed Starter 1-1-1		
Other means of identification	I		
Product code	32208		
Recommended use	Agricultural/ Horticultural Us	e- Micronutrient Fertilizer- Refer to product label.	
Recommended restrictions	Refer to product label.		
Manufacturer/Importer/Supplier	lier/Distributor information		
Manufacturer			
Company name	Lawn and Garden Products, Inc.		
Address	PO Box 35000		
	Fresno, CA 93745		
Telephone	559-499-2100		
Website	www.montereylawngarden.com		
E-mail	info@montereylawngarden.com		
Emergency phone number	CHEMTREC (24 hours):		
	USA, Canada, Puerto Rico	1-800-424-9300	
	Virgin Islands	1-800-424-9300	
	International Maritime	+1 (703) 527-3887	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Reproductive toxicity	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



	\mathbf{v} \mathbf{v}
Signal word	Warning
Hazard statement	Harmful if swallowed. Causes skin irritation. Causes eye irritation. Suspected of damaging fertility or the unborn child.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Magnesium Chloride Hexahydrate		7791-18-6	1 - < 3*
Potassium Hydroxide (Caustic Potash)		1310-58-3	1 - < 3*
Urea Ammonium Nitrate		15978-77-5	1 - < 3*
Ferric Chloride		7705-08-0	< 1*
Manganese Sulfate, monohydrate		10034-96-5	< 1*
Copper Sulfate (pentahydrate)		7758-99-8	< 0.2*
Disodium Octaborate Tetrahydrate		12008-41-2	< 0.2*
Urea		57-13-6	< 0.1*
Other components below reportable	levels		90 - 100

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing	Do not use water jet as an extinguisher, as this will spread the fire.
5 5	

Unsuitable extinguishing
mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from
the chemicalDuring fire, gases hazardous to health may be formed.Special protective equipment
and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire fighting
equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
·	
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Valu			
Components	Туре	Value	Form
Copper Sulfate (pentahydrate) (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Ferric Chloride (CAS 7705-08-0)	TWA	1 mg/m3	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
		0.02 mg/m3	Respirable fraction.
Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	Form
Copper Sulfate (pentahydrate) (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
		0.1 mg/m3	Fume.
Ferric Chloride (CAS 7705-08-0)	TWA	1 mg/m3	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m3	Fume.
	TWA	1 mg/m3	Fume.

US. NIOSH: Pocket Guide	_		_
Components	Туре	Value	Form
Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)	Ceiling	2 mg/m3	
US. Workplace Environme	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
Biological limit values	No biological exposure limits noted for th	e ingredient(s).	
Appropriate engineering ontrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
Eye/face protection measure	s, such as personal protective equipment Chemical respirator with organic vapor ca		
Skin protection		-	
Hand protection	Wear appropriate chemical resistant glov	es.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	Chemical respirator with organic vapor ca	Chemical respirator with organic vapor cartridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective cloth	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Observe any medical surveillance require good personal hygiene measures, such a drinking, and/or smoking. Routinely was contaminants.	as washing after handling t	he material and before eating,

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Liquid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not available.	
рН	3.3	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	0.00001 hPa estimated	
Vapor density	Not available.	
Relative density	1.065 g/cm3	
Solubility(ies)		
Solubility (water)	Not available.	

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.96 g/cm3 estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	82.26 % estimated
Pounds per gallon	8.89 lb/gal
Specific gravity	1.96 estimated
VOC	0.18 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	ion

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity	Harmful if swallowed.	
Product	Species	Test Results
Monterery Seed Starter 1-1	-1	
Acute		
Dermal		
LD50	Rat	1.508e+006 mg/kg
Inhalation		
LD50	Rat	597 mg/l
Oral		
LD50	Rat	905 mg/kg
Components	Species	Test Results
Copper Sulfate (pentahydra	ate) (CAS 7758-99-8)	
<u>Acute</u>		
Oral		
LD50	Rat	330 mg/kg

Components	Species	Test Results
Disodium Octaborate Tetrahydrate	e (CAS 12008-41-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	2550 mg/kg
Ferric Chloride (CAS 7705-08-0)		
Acute		
Oral	Det	29 malka
LD50	Rat	28 mg/kg
Magnesium Chloride Hexahydrate	(CAS 7791-18-6)	
<u>Acute</u> Oral		
LD50	Rat	2800 mg/kg
Manganese Sulfate, monohydrate		
Acute		
Oral		
LD50	Rat	2150 mg/kg
Potassium Hydroxide (Caustic Pot	ash) (CAS 1310-58-3)	
Acute		
Oral		
LD50	Rat	273 mg/kg
Urea (CAS 57-13-6)		
Acute		
Oral		
LD50	Rat	8471 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes eye irritation.	
Respiratory or skin sensitizatior		
Respiratory sensitization	Due to partial or complete lack of data the classific	
Skin sensitization	Due to partial or complete lack of data the classific	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classific	ation is not possible.
Not listed.	Evaluation of Carcinogenicity d Substances (29 CFR 1910.1001-1053)	
Not listed.	ogram (NTP) Report on Carcinogens	
Not listed.	-	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classific	ation is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classific	ation is not possible.
Aspiration hazard	Due to partial or complete lack of data the classific	ation is not possible.
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information		
Ecotoxicity	The product is not classified as environmentally ha possibility that large or frequent spills can have a h	

Product	-	Species	Test Results
Monterery Seed Starter 1-1-	l		
Aquatic	5050	Destate	
Crustacea	EC50	Daphnia	1911.7373 mg/l, 48 hours estimated
Fish	LC50	Fish	417.0836 mg/l, 96 hours estimated
Components		Species	Test Results
Copper Sulfate (pentahydrate	e) (CAS 7758-99	9-8)	
Aquatic		Water flee (Denhais magne)	0.0059 0.0072 mg/l 49 hours
Crustacea Fish	EC50 LC50	Water flea (Daphnia magna) Bluegill (Lepomis macrochirus)	0.0058 - 0.0073 mg/l, 48 hours 0.66 - 1.15 mg/l, 96 hours
-		ö (1	0.66 - 1.15 mg/l, 96 hours
Disodium Octaborate Tetrahy Aquatic Acute	Varate (CAS 120	08-41-2)	
Crustacea	LC50	Daphnia magna	619 mg/l
Fish	LC50	Pimephales promelas	370 mg/l
Ferric Chloride (CAS 7705-0	8-0)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	9.6 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	20.26 mg/l, 96 hours
Magnesium Chloride Hexahy Aquatic	drate (CAS 779	1-18-6)	
Crustacea	EC50	Calanoid copepod (Eudiaptomus padanus padanus)	95 - 342 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	1580 - 2740 mg/l, 96 hours
Manganese Sulfate, monohy Aquatic	drate (CAS 1003	34-96-5)	
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Potassium Hydroxide (Caust Aquatic	ic Potash) (CAS	1310-58-3)	
Fish	LC50	Western mosquitofish (Gambusia affinis)	80 mg/l, 96 hours
Urea (CAS 57-13-6) Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours
istence and degradability	No data is av	ailable on the degradability of any ingredier	nts in the mixture.
ccumulative potential Partition coefficient n-octa	nol / water (log		
Urea		-2.11	
ility in soil	No data avail	abla	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

	,		
Manganese Sulfate, mono Potassium Hydroxide (Ca	Ferric Chloride (CAS 7705-08-0)Listed.Manganese Sulfate, monohydrate (CAS 10034-96-5)Listed.Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)Listed.SARA 304 Emergency release notificationListed.		
	i i i i i i i i i i i i i i i i i i i		
Not regulated.	d Substances (29 CFR 1910.10	04 4052)	
	Substances (25 CFR 1910.10	501-1055)	
Not listed.			
Superfund Amendments and Rea	authorization Act of 1986 (SA	RA)	
SARA 302 Extremely hazard	ous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Acute toxicity (any route of exp Skin corrosion or irritation Serious eye damage or eye irr Reproductive toxicity	,	
SARA 313 (TRI reporting)			
Chemical name	CAS	number	% by wt.
Manganese Sulfate, mono	ohydrate 100	34-96-5	< 1
Other federal regulations			
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants	(HAPs) List	
Manganese Sulfate, mono	ohydrate (CAS 10034-96-5)	. ,	
0	112(r) Accidental Release Pre	evention (40 CFR 68	8.130)
Not regulated.		·	
Safe Drinking Water Act (SDWA)	Contains component(s) regula	ted under the Safe D	Drinking Water Act.

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive

harm. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Magnesium Chloride Hexahydrate (CAS 7791-18-6)

International Inventories

Country(s) or region	Inventory name On inv	ventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-20-2020
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.